

HUMDINGA











Specifications :

GIBBS AMPHITRUCKS

Specs-at-a-Glance

	Humdinga	Phibian
Engine	Diesel or petrol engine options	Two turbo diesel engines – 250 hp each
Propulsion Type	Twin jet drives	Twin jet drives
Brakes	Hydraulically operated disc brakes	Hydraulically operated disc brakes
Drive Layout	4WD	FWD or RWD, selectable 4WD
Capacities/Occupants	Six (6) people	Fifteen (15) people
Steering Type	Track and pinion power assist	Power-assisted hydraulic
Suspension	Coil over springs and dampers	Coil over springs and dampers
Water Speed	30 mph +	30 mph +
Land Speed	Typical Highway Speeds	Typical Highway Speeds
Payload	1653lb / 750kg	3307lb / 1500kg
Wheels and Tires	275/60/R20	275/80/R20 MPT
Curb Weight Base	6063lb / 2750kg	9920lb / 4500kg

For more information, contact :



0690 273 933
contact@timetogo.fr

Import - Export - Distribution

Time To Go sarl

c/o Mickael Ledee – Petit Cul de Sac

BPI218 – St Jean Cedex

97133 Saint Barthélemy

+590 690 273 933

+590 590 290 070

contact@timetogo.fr



contact@quadskicaraibe.com

www.quadskicaraibe.com